

```

{
  "data": [
    {
      "properties": {
      },
      "commands": {
      },
      "components": [
        "curve",
        "roomInfluenceFactor",
        "schedule"
      ],
      "apiVersion": 1,
      "uri":
      "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
      7637415053713208/devices/0/features/heating.circuits.0.heating",
      "gatewayId": "7637415053713208",
      "feature": "heating.circuits.0.heating",
      "timestamp": "2021-12-24T10:02:06.639Z",
      "isEnabled": true,
      "isReady": true,
      "deviceId": "0"
    },
    {
      "properties": {
        "shift": {
          "type": "number",
          "unit": "",
          "value": 0
        },
        "slope": {
          "type": "number",
          "unit": "",
          "value": 1.4
        }
      },
      "commands": {
        "setCurve": {
          "uri":
          "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
          7637415053713208/devices/0/features/heating.circuits.2.heating.curve/comman
          ds/setCurve",
          "name": "setCurve",
          "isExecutable": true,
          "params": {
            "slope": {
              "type": "number",
              "required": true,
              "constraints": {
                "min": 0.2,
                "max": 3.5,
                "stepping":
                0.1
              }
            }
          }
        },
        "shift": {

```

1

```
        "type": "number",
        "required": true,
        "constraints": {
            "min": -13,
            "max": 40,
            "stepping":
        }
    }
}
},
"components": [
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.heating.curve",
"gatewayId": "7637415053713208",
"feature": "heating.circuits.2.heating.curve",
"timestamp": "2021-12-24T10:02:06.639Z",
"isEnabled": true,
"isReady": true,
"deviceId": "0"
},
{
"properties": {
"value": {
"type": "string",
"value": "trailingLoad"
}
},
"commands": {
},
"components": [
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.boiler.operating.phase",
"gatewayId": "7637415053713208",
"feature": "heating.boiler.operating.phase",
"timestamp": "2022-01-01T13:02:55.470Z",
"isEnabled": true,
"isReady": true,
"deviceId": "0"
},
{
"properties": {
"active": {
"value": false,
"type": "boolean"
}
},
"commands": {
},
}
```

```

        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.s
tandby",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.0.operating.programs.standby",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "value": {
                "type": "string",
                "value": "normal"
            }
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.a
ctive",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.0.operating.programs.active",
        "timestamp": "2022-01-01T03:34:13.665Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "unit": {
                "value": "celsius",
                "type": "string"
            },
            "status": {
                "type": "string",
                "value": "notConnected"
            }
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":

```

```

"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.solar.sensors.temperature.dhw",
    "gatewayId": "7637415053713208",
    "feature": "heating.solar.sensors.temperature.dhw",
    "timestamp": "2021-12-24T10:02:10.595Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.modes.heating",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.2.operating.modes.heating",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.programs.normal",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.2.operating.programs.normal",
    "timestamp": "2021-12-24T10:02:11.390Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
      "pump"
    ]
  }

```

```

    ],
    "apiVersion": 1,
    "uri":
    "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
    7637415053713208/devices/0/features/heating.circuits.1.circulation",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.1.circulation",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
    "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
    7637415053713208/devices/0/features/heating.circuits.2.circulation.pump",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.2.circulation.pump",
    "timestamp": "2021-12-24T10:02:10.519Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
      "shift": {
        "type": "number",
        "unit": "",
        "value": 0
      },
      "slope": {
        "type": "number",
        "unit": "",
        "value": 1
      }
    },
    "commands": {
      "setCurve": {
        "uri":
        "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
        7637415053713208/devices/0/features/heating.circuits.0.heating.curve/comman
        ds/setCurve",
        "name": "setCurve",
        "isExecutable": true,
        "params": {
          "slope": {
            "type": "number",
            "required": true,
            "constraints": {

```

```

    "min": 0.2,
    "max": 3.5,
    "stepping":
0.1
    }
  },
  "shift": {
    "type": "number",
    "required": true,
    "constraints": {
      "min": -13,
      "max": 40,
      "stepping":
1
    }
  }
}
},
"components": [
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.heating.curve",
  "gatewayId": "7637415053713208",
  "feature": "heating.circuits.0.heating.curve",
  "timestamp": "2021-12-24T10:02:06.639Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
    "pump"
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.circulation",
  "gatewayId": "7637415053713208",
  "feature": "heating.circuits.0.circulation",
  "timestamp": "2021-12-24T10:02:06.639Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
}

```

```

        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.modes.heating",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.operating.modes.heating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "unit": {
                "value": "celsius",
                "type": "string"
            },
            "value": {
                "type": "number",
                "value": 66.5,
                "unit": "celsius"
            },
            "status": {
                "type": "string",
                "value": "connected"
            }
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.sensors.temperature.return",
        "gatewayId": "7637415053713208",
        "feature": "heating.sensors.temperature.return",
        "timestamp": "2022-01-01T13:06:22.478Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "multiFamilyHouse"
        ],
        "apiVersion": 1,
        "uri":

```

```

"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.configuration",
    "gatewayId": "7637415053713208",
    "feature": "heating.configuration",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw.sensors.temperature.hotWate
rStorage",
        "gatewayId": "7637415053713208",
        "feature":
"heating.dhw.sensors.temperature.hotWaterStorage",
        "timestamp": "2021-12-24T10:02:10.508Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.modes.stan
dby",
            "gatewayId": "7637415053713208",
            "feature":
"heating.circuits.2.operating.modes.standby",
            "timestamp": "2021-12-24T10:02:06.639Z",
            "isEnabled": false,
            "isReady": true,
            "deviceId": "0"
        },
        {
            "properties": {
                "unit": {
                    "value": "celsius",
                    "type": "string"
                },
            },
            "value": {

```



```

        "type": "number",
        "value": 75,
        "unit": "celsius"
    }
},
"commands": {
},
"components": [
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.boiler.temperature",
    "gatewayId": "7637415053713208",
    "feature": "heating.boiler.temperature",
    "timestamp": "2021-12-24T10:02:09.034Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
        "outside",
        "return"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.sensors.temperature",
    "gatewayId": "7637415053713208",
    "feature": "heating.sensors.temperature",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
        "boiler",
        "burners",
        "circuits",
        "configuration",
        "device",
        "dhw",
        "operating",
        "sensors",
        "solar"
    ],

```

```

        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating",
        "gatewayId": "7637415053713208",
        "feature": "heating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.sensors.temperature.
room",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.1.sensors.temperature.room",
        "timestamp": "2021-12-24T10:02:10.481Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.programs.c
omfort",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.1.operating.programs.comfort",
        "timestamp": "2021-12-24T10:02:11.384Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "active": {
                "value": false,
                "type": "boolean"
            }
        }
    }

```

```

    },
    "demand": {
      "value": "unknown",
      "type": "string"
    },
    "temperature": {
      "value": 18,
      "unit": "celsius",
      "type": "number"
    }
  },
  "commands": {
    "setTemperature": {
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.r
educd/commands/setTemperature",
      "name": "setTemperature",
      "isExecutable": true,
      "params": {
        "targetTemperature": {
          "type": "number",
          "required": true,
          "constraints": {
            "min": 3,
            "max": 37,
            "stepping":
1
          }
        }
      }
    }
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.r
educd",
  "gatewayId": "7637415053713208",
  "feature":
"heating.circuits.0.operating.programs.reduced",
  "timestamp": "2022-01-01T03:34:13.576Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
  ],
  "apiVersion": 1,

```

```

        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.programs.d
hwPrecedence",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.operating.programs.dhwPrecedence",
        "timestamp": "2021-12-24T10:02:08.936Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.modes.dhw"
,
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.operating.modes.dhw",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "0"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.burners",
        "gatewayId": "7637415053713208",
        "feature": "heating.burners",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "enabled": {
                "value": [
                    "0"
                ]
            }
        }
    }

```

```

    ],
    "type": "array"
  }
},
"commands": {
},
"components": [
  "0",
  "1",
  "2",
  "3"
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits",
  "gatewayId": "7637415053713208",
  "feature": "heating.circuits",
  "timestamp": "2021-12-24T10:02:06.639Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.programs.n
ormal",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.1.operating.programs.normal",
    "timestamp": "2021-12-24T10:02:11.390Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.modes.dhw"
,
    "gatewayId": "7637415053713208",

```

```

        "feature":
"heating.circuits.2.operating.modes.dhw",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.sensors.temperature.
room",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.sensors.temperature.room",
        "timestamp": "2021-12-24T10:02:10.481Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "holiday"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.operating.programs",
        "gatewayId": "7637415053713208",
        "feature": "heating.operating.programs",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "active": {
                "value": false,
                "type": "boolean"
            },
            "start": {
                "value": "",
                "type": "string"
            }
        },
    }

```

```

        "end": {
            "value": "",
            "type": "string"
        }
    },
    "commands": {
        "changeEndDate": {
            "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.operating.programs.holiday/comm
ands/changeEndDate",
            "name": "changeEndDate",
            "isExecutable": false,
            "params": {
                "end": {
                    "type": "string",
                    "required": true,
                    "constraints": {
                        "regEx":
"^[\d]{4}-[\d]{2}-[\d]{2}$",
                    }
                }
            }
        },
        "schedule": {
            "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.operating.programs.holiday/comm
ands/schedule",
            "name": "schedule",
            "isExecutable": true,
            "params": {
                "start": {
                    "type": "string",
                    "required": true,
                    "constraints": {
                        "regEx":
"^[\d]{4}-[\d]{2}-[\d]{2}$"
                    }
                }
            },
            "end": {
                "type": "string",
                "required": true,
                "constraints": {
                    "regEx":
"^[\d]{4}-[\d]{2}-[\d]{2}$",
                }
            }
        },
        "unschedule": {
            "uri":

```

```
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/7637415053713208/devices/0/features/heating.operating.programs.holiday/commands/unschedule",
```

```
    "name": "unschedule",  
    "isExecutable": true,  
    "params": {  
    }  
  }  
},
```

```
  "components": [  
  ],  
  "apiVersion": 1,  
  "uri":
```

```
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/7637415053713208/devices/0/features/heating.operating.programs.holiday",
```

```
  "gatewayId": "7637415053713208",  
  "feature": "heating.operating.programs.holiday",  
  "timestamp": "2021-12-24T10:02:06.639Z",  
  "isEnabled": true,  
  "isReady": true,  
  "deviceId": "0"
```

```
},  
{
```

```
  "properties": {  
  },  
  "commands": {  
  },  
  "components": [  
  ],  
  "apiVersion": 1,  
  "uri":
```

```
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/7637415053713208/devices/0/features/heating.circuits.1.operating.modes.heating",
```

```
  "gatewayId": "7637415053713208",  
  "feature":
```

```
"heating.circuits.1.operating.modes.heating",
```

```
  "timestamp": "2021-12-24T10:02:06.639Z",  
  "isEnabled": false,  
  "isReady": true,  
  "deviceId": "0"
```

```
},  
{
```

```
  "properties": {  
    "active": {  
      "value": false,  
      "type": "boolean"  
    },  
    "demand": {  
      "value": "unknown",  
      "type": "string"  
    },  
    "temperature": {  
      "value": 20,  
      "unit": "celsius",  
      "type": "number"
```



```

    },
    "commands": {
      "setTemperature": {
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.c
omfort/commands/setTemperature",
        "name": "setTemperature",
        "isExecutable": true,
        "params": {
          "targetTemperature": {
            "type": "number",
            "required": true,
            "constraints": {
              "min": 1,
              "max": 37,
              "stepping":
1
            }
          }
        }
      },
      "activate": {
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.c
omfort/commands/activate",
        "name": "activate",
        "isExecutable": true,
        "params": {
          "temperature": {
            "type": "number",
            "required": false,
            "constraints": {
              "min": 1,
              "max": 37,
              "stepping":
1
            }
          }
        }
      },
      "deactivate": {
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.c
omfort/commands/deactivate",
        "name": "deactivate",
        "isExecutable": false,
        "params": {
        }
      }
    },
    "components": [
  ],

```

```

        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.c
omfort",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.0.operating.programs.comfort",
        "timestamp": "2021-12-24T10:02:11.384Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "unit": {
                "value": "kilowattHour",
                "type": "string"
            },
            "day": {
                "type": "array",
                "value": [
                    61,
                    41,
                    15,
                    0,
                    0,
                    0,
                    0,
                    0
                ],
                "unit": "kilowattHour"
            },
            "week": {
                "type": "array",
                "value": [
                ],
                "unit": "kilowattHour"
            },
            "month": {
                "type": "array",
                "value": [
                ],
                "unit": "kilowattHour"
            },
            "year": {
                "type": "array",
                "value": [
                ],
                "unit": "kilowattHour"
            },
            "dayValueReadAt": {
                "type": "string",
                "value": "2022-01-01T13:03:23.624Z"
            },
            "weekValueReadAt": {

```

```

        "type": "string",
        "value": ""
    },
    "monthValueReadAt": {
        "type": "string",
        "value": ""
    },
    "yearValueReadAt": {
        "type": "string",
        "value": ""
    }
},
"commands": {
},
"components": [
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.solar.power.production",
    "gatewayId": "7637415053713208",
    "feature": "heating.solar.power.production",
    "timestamp": "2022-01-01T13:03:25.051Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.programs.a
ctive",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.operating.programs.active",
        "timestamp": "2021-12-24T10:02:10.522Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "status": {
                "type": "string",
                "value": "on"
            }
        },
        "commands": {
        },
    },

```

```

        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.solar.pumps.circuit",
        "gatewayId": "7637415053713208",
        "feature": "heating.solar.pumps.circuit",
        "timestamp": "2022-01-01T09:08:15.284Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "active": {
                "value": false,
                "type": "boolean"
            },
            "temperature": {
                "value": 21,
                "unit": "",
                "type": "number"
            }
        },
        "commands": {
            "activate": {
                "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.e
co/commands/activate",
                "name": "activate",
                "isExecutable": true,
                "params": {
                }
            },
            "deactivate": {
                "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.e
co/commands/deactivate",
                "name": "deactivate",
                "isExecutable": false,
                "params": {
                }
            }
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.e
co",
        "gatewayId": "7637415053713208",
        "feature":

```

```

"heating.circuits.0.operating.programs.eco",
  "timestamp": "2022-01-01T03:34:13.501Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
    "modes",
    "programs"
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating",
  "gatewayId": "7637415053713208",
  "feature": "heating.circuits.1.operating",
  "timestamp": "2021-12-24T10:02:06.639Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.programs.n
ormal",
  "gatewayId": "7637415053713208",
  "feature":
"heating.circuits.3.operating.programs.normal",
  "timestamp": "2021-12-24T10:02:11.390Z",
  "isEnabled": false,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
    "value": {
      "type": "number",
      "value": 8,
      "unit": ""
    }
  },
  "commands": {
    "setValue": {

```

```

        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.heating.roomInfluenc
eFactor/commands/setValue",
        "name": "setValue",
        "isExecutable": true,
        "params": {
            "value": {
                "required": true,
                "constraints": {
                    "min": 0,
                    "max": 64,
                    "stepping":
1
                },
                "type": "number"
            }
        }
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.heating.roomInfluenc
eFactor",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.heating.roomInfluenceFactor",
        "timestamp": "2021-12-24T10:02:10.606Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "value": {
                "type": "number",
                "value": 8,
                "unit": ""
            }
        },
        "commands": {
            "setValue": {
                "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.heating.roomInfluenc
eFactor/commands/setValue",
                "name": "setValue",
                "isExecutable": true,
                "params": {
                    "value": {
                        "required": true,
                        "constraints": {
                            "min": 0,

```

1

```

    "max": 64,
    "stepping":
  },
  "type": "number"
}
}
},
"components": [
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.heating.roomInfluenc
eFactor",
  "gatewayId": "7637415053713208",
  "feature":
"heating.circuits.0.heating.roomInfluenceFactor",
  "timestamp": "2021-12-24T10:02:10.604Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw.pumps.circulation.schedule"
,
  "gatewayId": "7637415053713208",
  "feature":
"heating.dhw.pumps.circulation.schedule",
  "timestamp": "2021-12-24T10:02:10.592Z",
  "isEnabled": false,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
    "curve",
    "schedule"
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
```

```

7637415053713208/devices/0/features/heating.circuits.3.heating",
  "gatewayId": "7637415053713208",
  "feature": "heating.circuits.3.heating",
  "timestamp": "2021-12-24T10:02:06.639Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
    "unit": {
      "value": "minute",
      "type": "string"
    },
    "value": {
      "type": "number",
      "value": 56,
      "unit": "minute"
    }
  },
  "commands": {
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.device.time.offset",
  "gatewayId": "7637415053713208",
  "feature": "heating.device.time.offset",
  "timestamp": "2021-12-28T06:00:51.059Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.programs.e
co",
  "gatewayId": "7637415053713208",
  "feature":
"heating.circuits.2.operating.programs.eco",
  "timestamp": "2021-12-24T10:02:11.408Z",
  "isEnabled": false,
  "isReady": true,
  "deviceId": "0"
},
{

```



```

        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.boiler.sensors",
        "gatewayId": "7637415053713208",
        "feature": "heating.boiler.sensors",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "active",
            "dhw",
            "dhwAndHeating",
            "heating",
            "standby"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.modes",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.3.operating.modes",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.programs.c
omfort",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.operating.programs.comfort",
        "timestamp": "2021-12-24T10:02:11.385Z",

```

```

        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "active",
            "comfort",
            "dhwPrecedence",
            "eco",
            "normal",
            "reduced",
            "standby"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.programs",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.1.operating.programs",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "active",
            "comfort",
            "dhwPrecedence",
            "eco",
            "normal",
            "reduced",
            "standby"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.programs",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.3.operating.programs",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {

```

```

    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.frostprotection",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.3.frostprotection",
    "timestamp": "2021-12-24T10:02:09.775Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw.sensors",
    "gatewayId": "7637415053713208",
    "feature": "heating.dhw.sensors",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.programs.c
omfort",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.3.operating.programs.comfort",
    "timestamp": "2021-12-24T10:02:11.385Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {

```

```

    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.heating.schedule",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.3.heating.schedule",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/device",
    "gatewayId": "7637415053713208",
    "feature": "device",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
      "circulation",
      "frostprotection",
      "heating",
      "operating",
      "sensors"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.1",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  }

```

```

    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.programs.d
hwPrecedence",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.operating.programs.dhwPrecedence",
        "timestamp": "2021-12-24T10:02:08.904Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "pump"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.circulation",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.3.circulation",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "room",
            "supply"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.sensors.temperature"
,
        "gatewayId": "7637415053713208",
        "feature":

```

```

"heating.circuits.1.sensors.temperature",
  "timestamp": "2021-12-24T10:02:06.639Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
    "active": {
      "value": true,
      "type": "boolean"
    },
    "demand": {
      "value": "unknown",
      "type": "string"
    },
    "temperature": {
      "value": 21,
      "unit": "celsius",
      "type": "number"
    }
  },
  "commands": {
    "setTemperature": {
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.n
ormal/commands/setTemperature",
      "name": "setTemperature",
      "isExecutable": true,
      "params": {
        "targetTemperature": {
          "type": "number",
          "required": true,
          "constraints": {
            "min": 10,
            "max": 37,
            "stepping":
1
          }
        }
      }
    }
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.n
ormal",
  "gatewayId": "7637415053713208",
  "feature":
"heating.circuits.0.operating.programs.normal",
  "timestamp": "2022-01-01T03:34:13.461Z",
  "isEnabled": true,

```

```

        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.circulation.pump",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.1.circulation.pump",
        "timestamp": "2021-12-24T10:02:10.518Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.programs.r
educed",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.operating.programs.reduced",
        "timestamp": "2021-12-24T10:02:11.397Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.modes.dhw"
,
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.0.operating.modes.dhw",

```

```

        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "circulation",
            "frostprotection",
            "heating",
            "operating",
            "sensors"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.3",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "active",
            "dhw",
            "dhwAndHeating",
            "heating",
            "standby"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.modes",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.1.operating.modes",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
    }

```



```

        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.modes.acti
ve",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.operating.modes.active",
        "timestamp": "2021-12-24T10:02:10.557Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "active",
            "comfort",
            "dhwPrecedence",
            "eco",
            "normal",
            "reduced",
            "standby"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.programs",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.2.operating.programs",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "temperature"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.solar.sensors",
        "gatewayId": "7637415053713208",
        "feature": "heating.solar.sensors",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,

```

```

        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.sensors.temperature.
supply",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.sensors.temperature.supply",
        "timestamp": "2021-12-24T10:02:10.485Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.sensors.temperature.
supply",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.sensors.temperature.supply",
        "timestamp": "2021-12-24T10:02:10.486Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "active",
            "dhw",
            "dhwAndHeating",
            "heating",
            "standby"
        ],
        "apiVersion": 1,
    }
}

```

```

        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.modes",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.2.operating.modes",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.programs.r
educed",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.operating.programs.reduced",
        "timestamp": "2021-12-24T10:02:11.397Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "time",
            "variant"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.device",
        "gatewayId": "7637415053713208",
        "feature": "heating.device",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [

```

```

    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.modes.dhwA
ndHeating",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.operating.modes.dhwAndHeating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.frostprotection",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.1.frostprotection",
        "timestamp": "2021-12-24T10:02:09.773Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.sensors.temperature.
room",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.sensors.temperature.room",
        "timestamp": "2021-12-24T10:02:10.482Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {

```

```

    },
    "components": [
      "temperature"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.sensors",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.2.sensors",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
      "temperature"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.sensors",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.3.sensors",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw.schedule",
    "gatewayId": "7637415053713208",
    "feature": "heating.dhw.schedule",
    "timestamp": "2021-12-24T10:02:10.594Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {

```

```

    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.programs.s
tandby",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.1.operating.programs.standby",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "phase"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.boiler.operating",
        "gatewayId": "7637415053713208",
        "feature": "heating.boiler.operating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "status": {
                "type": "string",
                "value": "off"
            }
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.frostprotection",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.0.frostprotection",
        "timestamp": "2021-12-24T10:02:09.772Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    }

```

```

    },
    {
      "properties": {
      },
      "commands": {
      },
      "components": [
        "modes",
        "programs"
      ],
      "apiVersion": 1,
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating",
      "gatewayId": "7637415053713208",
      "feature": "heating.circuits.0.operating",
      "timestamp": "2021-12-24T10:02:06.639Z",
      "isEnabled": true,
      "isReady": true,
      "deviceId": "0"
    },
    {
      "properties": {
      },
      "commands": {
      },
      "components": [
      ],
      "apiVersion": 1,
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.programs.s
tandby",
      "gatewayId": "7637415053713208",
      "feature":
"heating.circuits.2.operating.programs.standby",
      "timestamp": "2021-12-24T10:02:06.639Z",
      "isEnabled": false,
      "isReady": true,
      "deviceId": "0"
    },
    {
      "properties": {
        "active": {
          "value": true,
          "type": "boolean"
        }
      },
      "commands": {
      },
      "components": [
      ],
      "apiVersion": 1,
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.modes.heat

```

```

ing",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.0.operating.modes.heating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "charging",
            "schedule",
            "sensors",
            "temperature"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw",
        "gatewayId": "7637415053713208",
        "feature": "heating.dhw",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw.pumps.primary",
        "gatewayId": "7637415053713208",
        "feature": "heating.dhw.pumps.primary",
        "timestamp": "2021-12-24T10:02:10.506Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],

```



```

        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating.modes.dhwA
ndHeating",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.2.operating.modes.dhwAndHeating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "hoursUnit": {
                "value": "hour",
                "type": "string"
            },
            "hours": {
                "type": "number",
                "value": 1213,
                "unit": "hour"
            },
            "starts": {
                "type": "number",
                "value": 886,
                "unit": ""
            }
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.burners.0.statistics",
        "gatewayId": "7637415053713208",
        "feature": "heating.burners.0.statistics",
        "timestamp": "2022-01-01T13:04:03.667Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "active",
            "comfort",
            "dhwPrecedence",
            "eco",
            "normal",

```

```

        "reduced",
        "standby"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.0.operating.programs",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw.charging",
    "gatewayId": "7637415053713208",
    "feature": "heating.dhw.charging",
    "timestamp": "2021-12-24T10:02:10.505Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.modes.acti
ve",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.1.operating.modes.active",
    "timestamp": "2021-12-24T10:02:10.542Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {

```

```

    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.frostprotection",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.2.frostprotection",
    "timestamp": "2021-12-24T10:02:09.774Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
        "unit": {
            "value": "celsius",
            "type": "string"
        },
        "value": {
            "type": "number",
            "value": 68.2,
            "unit": "celsius"
        },
        "status": {
            "type": "string",
            "value": "connected"
        }
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.boiler.sensors.temperature.main
",
    "gatewayId": "7637415053713208",
    "feature":
"heating.boiler.sensors.temperature.main",
    "timestamp": "2022-01-01T13:00:13.820Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
        "circuit"
    ],
    "apiVersion": 1,

```

```

        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.solar.pumps",
        "gatewayId": "7637415053713208",
        "feature": "heating.solar.pumps",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "temperature"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.sensors",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.1.sensors",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "temperature"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.sensors",
        "gatewayId": "7637415053713208",
        "feature": "heating.sensors",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "active": {
                "value": true,
                "type": "boolean"
            },
            "entries": {
                "value": {

```

"04:30",
"20:40",
"normal",
0

"04:30",
"20:40",
"normal",
0

"04:30",
"20:40",
"normal",
0

"04:30",
"20:40",
"normal",
0

"04:30",
"20:40",
"normal",

```
"mon": [
  {
    "start":
    "end":
    "mode":
    "position":
  }
],
```

```
"tue": [
  {
    "start":
    "end":
    "mode":
    "position":
  }
],
```

```
"wed": [
  {
    "start":
    "end":
    "mode":
    "position":
  }
],
```

```
"thu": [
  {
    "start":
    "end":
    "mode":
    "position":
  }
],
```

```
"fri": [
  {
    "start":
    "end":
    "mode":
```

```

    "position":
0
    },
    "sat": [
        {
            "start":
"04:30",
            "end":
"20:40",
            "mode":
"normal",
            "position":
0
        }
    ],
    "sun": [
        {
            "start":
"04:30",
            "end":
"20:40",
            "mode":
"normal",
            "position":
0
        }
    ]
},
"type": "Schedule"
},
"commands": {
    "setSchedule": {
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.heating.schedule/com
mands/setSchedule",
        "name": "setSchedule",
        "isExecutable": true,
        "params": {
            "newSchedule": {
                "type": "Schedule",
                "required": true,
                "constraints": {
                    "modes": [
"normal"
                ]
            }
        }
    }
},
"maxEntries": 4,
"resolution": 10,
"defaultMode": "reduced",

```

```

"overlapAllowed": true
    }
  }
},
"components": [
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.heating.schedule",
"gatewayId": "7637415053713208",
"feature": "heating.circuits.0.heating.schedule",
"timestamp": "2021-12-24T10:02:06.639Z",
"isEnabled": true,
"isReady": true,
"deviceId": "0"
},
{
"properties": {
},
"commands": {
},
"components": [
"room",
"supply"
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.sensors.temperature"
,
"gatewayId": "7637415053713208",
"feature":
"heating.circuits.3.sensors.temperature",
"timestamp": "2021-12-24T10:02:06.639Z",
"isEnabled": true,
"isReady": true,
"deviceId": "0"
},
{
"properties": {
"active": {
"value": false,
"type": "boolean"
}
},
"commands": {
},
"components": [
],
"apiVersion": 1,
"uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.modes.stan

```

```

    db",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.0.operating.modes.standby",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.programs.a
ctive",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.1.operating.programs.active",
        "timestamp": "2021-12-24T10:02:10.521Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "curve",
            "roomInfluenceFactor",
            "schedule"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.heating",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.1.heating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [

```



```

        "circulation",
        "frostprotection",
        "heating",
        "operating",
        "sensors"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.2",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
        "unit": {
            "value": "celsius",
            "type": "string"
        },
        "value": {
            "type": "number",
            "value": 8.4,
            "unit": "celsius"
        },
        "status": {
            "type": "string",
            "value": "connected"
        }
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.sensors.temperature.outside",
    "gatewayId": "7637415053713208",
    "feature": "heating.sensors.temperature.outside",
    "timestamp": "2022-01-01T12:03:45.978Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,

```

```

        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.heating.schedule",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.1.heating.schedule",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.programs.a
ctive",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.operating.programs.active",
        "timestamp": "2021-12-24T10:02:10.523Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.programs.d
hwPrecedence",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.1.operating.programs.dhwPrecedence",
        "timestamp": "2021-12-24T10:02:08.896Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [

```

```

        "room",
        "supply"
    ],
    "apiVersion": 1,
    "uri":
    "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
    7637415053713208/devices/0/features/heating.circuits.2.sensors.temperature"
    ,
        "gatewayId": "7637415053713208",
        "feature":
    "heating.circuits.2.sensors.temperature",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "active": {
                "value": true,
                "type": "boolean"
            },
            "name": {
                "value": "",
                "type": "string"
            },
            "type": {
                "value": "heatingCircuit",
                "type": "string"
            }
        },
        "commands": {
            "setName": {
                "uri":
    "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
    7637415053713208/devices/0/features/heating.circuits.0/commands/setName",
                "name": "setName",
                "isExecutable": false,
                "params": {
                    "name": {
                        "type": "string",
                        "required": true,
                        "constraints": {
    "minLength": 1,
    "maxLength": 20
                        }
                    }
                }
            }
        },
        "components": [
            "circulation",
            "frostprotection",
            "heating",

```

```

        "operating",
        "sensors"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.0",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
        "room",
        "supply"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.sensors.temperature"
,
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.0.sensors.temperature",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.sensors.temperature.
supply",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.1.sensors.temperature.supply",
        "timestamp": "2021-12-24T10:02:10.484Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
}

```

```

    {
      "properties": {
      },
      "commands": {
      },
      "components": [
      ],
      "apiVersion": 1,
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.modes.dhwA
ndHeating",
      "gatewayId": "7637415053713208",
      "feature":
"heating.circuits.0.operating.modes.dhwAndHeating",
      "timestamp": "2021-12-24T10:02:06.639Z",
      "isEnabled": false,
      "isReady": true,
      "deviceId": "0"
    },
    {
      "properties": {
      },
      "commands": {
      },
      "components": [
      ],
      "apiVersion": 1,
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.modes.acti
ve",
      "gatewayId": "7637415053713208",
      "feature":
"heating.circuits.3.operating.modes.active",
      "timestamp": "2021-12-24T10:02:10.570Z",
      "isEnabled": false,
      "isReady": true,
      "deviceId": "0"
    },
    {
      "properties": {
        "value": {
          "type": "number",
          "value": 8,
          "unit": ""
        }
      },
      "commands": {
        "setValue": {
          "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.heating.roomInfluenc
eFactor/commands/setValue",
          "name": "setValue",
          "isExecutable": true,

```

1

```
        "params": {
            "value": {
                "required": true,
                "constraints": {
                    "min": 0,
                    "max": 64,
                    "stepping":
                },
                "type": "number"
            }
        }
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
    "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
    7637415053713208/devices/0/features/heating.circuits.1.heating.roomInfluenc
    eFactor",
        "gatewayId": "7637415053713208",
        "feature":
    "heating.circuits.1.heating.roomInfluenceFactor",
        "timestamp": "2021-12-24T10:02:10.605Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
    "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
    7637415053713208/devices/0/features/heating.circuits.1.operating.modes.stan
    dby",
        "gatewayId": "7637415053713208",
        "feature":
    "heating.circuits.1.operating.modes.standby",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "value": {
                "type": "string",
                "value": "VL300C 18kW"
            }
        },
    },
    }
```

```

        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.device.variant",
        "gatewayId": "7637415053713208",
        "feature": "heating.device.variant",
        "timestamp": "2021-12-24T10:02:10.601Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "shift": {
                "type": "number",
                "unit": "",
                "value": 0
            },
            "slope": {
                "type": "number",
                "unit": "",
                "value": 1.4
            }
        },
        "commands": {
            "setCurve": {
                "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.heating.curve/comman
ds/setCurve",
                "name": "setCurve",
                "isExecutable": true,
                "params": {
                    "slope": {
                        "type": "number",
                        "required": true,
                        "constraints": {
                            "min": 0.2,
                            "max": 3.5,
                            "stepping":
0.1
                        }
                    }
                },
                "shift": {
                    "type": "number",
                    "required": true,
                    "constraints": {
                        "min": -13,
                        "max": 40,
                        "stepping":
1
                    }
                }
            }
        }
    }
}

```

```

    }
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.heating.curve",
  "gatewayId": "7637415053713208",
  "feature": "heating.circuits.1.heating.curve",
  "timestamp": "2021-12-24T10:02:06.639Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
    "unit": {
      "value": "celsius",
      "type": "string"
    },
    "value": {
      "type": "number",
      "value": 38.9,
      "unit": "celsius"
    },
    "status": {
      "type": "string",
      "value": "connected"
    }
  },
  "commands": {
  },
  "components": [
  ],
  "apiVersion": 1,
  "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.sensors.temperature.
supply",
  "gatewayId": "7637415053713208",
  "feature":
"heating.circuits.0.sensors.temperature.supply",
  "timestamp": "2022-01-01T13:05:45.435Z",
  "isEnabled": true,
  "isReady": true,
  "deviceId": "0"
},
{
  "properties": {
  },
  "commands": {
  },
  "components": [

```



```

    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.circulation.pump",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.3.circulation.pump",
    "timestamp": "2021-12-24T10:02:10.519Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.programs.e
co",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.1.operating.programs.eco",
    "timestamp": "2021-12-24T10:02:11.405Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
      "collector",
      "dhw"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.solar.sensors.temperature",
    "gatewayId": "7637415053713208",
    "feature": "heating.solar.sensors.temperature",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {

```

```

    },
    "components": [
        "temperature"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.sensors",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.0.sensors",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
        "modes",
        "programs"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.3.operating",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
        "active",
        "dhw",
        "dhwAndHeating",
        "heating",
        "standby"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.modes",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.0.operating.modes",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,

```

```

        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "curve",
            "roomInfluenceFactor",
            "schedule"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.heating",
        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.2.heating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.sensors.temperature.
room",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.0.sensors.temperature.room",
        "timestamp": "2021-12-24T10:02:10.480Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "value": {
                "value": "heating",
                "type": "string"
            }
        },
        "commands": {
            "setMode": {
                "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.modes.acti
ve/commands/setMode",

```

```

        "name": "setMode",
        "isExecutable": true,
        "params": {
            "mode": {
                "type": "string",
                "required": true,
                "constraints": {
                    "enum": [
                        "standby",
                        "heating"
                    ]
                }
            }
        }
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
    "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
    7637415053713208/devices/0/features/heating.circuits.0.operating.modes.acti
    ve",
        "gatewayId": "7637415053713208",
        "feature":
    "heating.circuits.0.operating.modes.active",
        "timestamp": "2021-12-24T10:02:10.528Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "schedule"
        ],
        "apiVersion": 1,
        "uri":
    "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
    7637415053713208/devices/0/features/heating.dhw.pumps.circulation",
        "gatewayId": "7637415053713208",
        "feature": "heating.dhw.pumps.circulation",
        "timestamp": "2022-01-01T10:35:10.378Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        }
    }
}

```

```

    },
    "components": [
      "main"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw.temperature",
    "gatewayId": "7637415053713208",
    "feature": "heating.dhw.temperature",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
      "unit": {
        "value": "celsius",
        "type": "string"
      },
      "value": {
        "type": "number",
        "value": 53.8,
        "unit": "celsius"
      },
      "status": {
        "type": "string",
        "value": "connected"
      }
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.solar.sensors.temperature.colle
ctor",
    "gatewayId": "7637415053713208",
    "feature":
"heating.solar.sensors.temperature.collector",
    "timestamp": "2022-01-01T12:49:13.112Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
      "active": {
        "type": "boolean",
        "value": true
      }
    },
    "commands": {

```

```

    },
    "components": [
        "pumps",
        "sensors"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.solar",
    "gatewayId": "7637415053713208",
    "feature": "heating.solar",
    "timestamp": "2021-12-24T10:02:10.597Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
        "operating",
        "sensors",
        "temperature"
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.boiler",
    "gatewayId": "7637415053713208",
    "feature": "heating.boiler",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
},
{
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.programs.r
educed",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.1.operating.programs.reduced",
    "timestamp": "2021-12-24T10:02:11.396Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"

```

```

    },
    {
      "properties": {
        "active": {
          "type": "boolean",
          "value": false
        }
      },
      "commands": {
      },
      "components": [
      ],
      "apiVersion": 1,
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.operating.programs.d
hwPrecedence",
      "gatewayId": "7637415053713208",
      "feature":
"heating.circuits.0.operating.programs.dhwPrecedence",
      "timestamp": "2021-12-24T10:02:08.870Z",
      "isEnabled": true,
      "isReady": true,
      "deviceId": "0"
    },
    {
      "properties": {
        "active": {
          "type": "boolean",
          "value": true
        }
      },
      "commands": {
      },
      "components": [
        "statistics"
      ],
      "apiVersion": 1,
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.burners.0",
      "gatewayId": "7637415053713208",
      "feature": "heating.burners.0",
      "timestamp": "2022-01-01T11:58:57.572Z",
      "isEnabled": true,
      "isReady": true,
      "deviceId": "0"
    },
    {
      "properties": {
      },
      "commands": {
      },
      "components": [
        "modes",
        "programs"
      ]
    }
  ]
}

```

```

    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.operating",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.2.operating",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.modes.stan
dby",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.3.operating.modes.standby",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
      "active": {
        "value": false,
        "type": "boolean"
      }
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.configuration.multiFamilyHouse"
,
    "gatewayId": "7637415053713208",
    "feature":
"heating.configuration.multiFamilyHouse",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },

```



```

    {
      "properties": {
        "shift": {
          "type": "number",
          "unit": "",
          "value": 0
        },
        "slope": {
          "type": "number",
          "unit": "",
          "value": 1.4
        }
      },
      "commands": {
        "setCurve": {
          "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.heating.curve/comman
ds/setCurve",
          "name": "setCurve",
          "isExecutable": true,
          "params": {
            "slope": {
              "type": "number",
              "required": true,
              "constraints": {
                "min": 0.2,
                "max": 3.5,
                "stepping":
0.1
              }
            },
            "shift": {
              "type": "number",
              "required": true,
              "constraints": {
                "min": -13,
                "max": 40,
                "stepping":
1
              }
            }
          }
        }
      },
      "components": [
      ],
      "apiVersion": 1,
      "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.heating.curve",
      "gatewayId": "7637415053713208",
      "feature": "heating.circuits.3.heating.curve",
      "timestamp": "2021-12-24T10:02:06.639Z",
      "isEnabled": true,
      "isReady": true,
    }
  }

```

```

        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "programs"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.operating",
        "gatewayId": "7637415053713208",
        "feature": "heating.operating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.operating.programs.s
tandby",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.3.operating.programs.standby",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
            "status": {
                "type": "string",
                "value": "on"
            }
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.circulation.pump",

```

```

        "gatewayId": "7637415053713208",
        "feature": "heating.circuits.0.circulation.pump",
        "timestamp": "2021-12-24T10:02:10.517Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
            "offset"
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.device.time",
        "gatewayId": "7637415053713208",
        "feature": "heating.device.time",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": true,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.modes.dhw"
,
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.1.operating.modes.dhw",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
    },
    {
        "properties": {
        },
        "commands": {
        },
        "components": [
        ],
        "apiVersion": 1,
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/

```

```

7637415053713208/devices/0/features/heating.circuits.3.operating.programs.eco",
    "gatewayId": "7637415053713208",
    "feature":
"heating.circuits.3.operating.programs.eco",
    "timestamp": "2021-12-24T10:02:11.412Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.dhw.temperature.main",
    "gatewayId": "7637415053713208",
    "feature": "heating.dhw.temperature.main",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.heating.schedule",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.2.heating.schedule",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": false,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
      "pump"
    ],
    "apiVersion": 1,
    "uri":

```

```

"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.2.circulation",
    "gatewayId": "7637415053713208",
    "feature": "heating.circuits.2.circulation",
    "timestamp": "2021-12-24T10:02:06.639Z",
    "isEnabled": true,
    "isReady": true,
    "deviceId": "0"
  },
  {
    "properties": {
    },
    "commands": {
    },
    "components": [
    ],
    "apiVersion": 1,
    "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.1.operating.modes.dhwA
ndHeating",
        "gatewayId": "7637415053713208",
        "feature":
"heating.circuits.1.operating.modes.dhwAndHeating",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "isEnabled": false,
        "isReady": true,
        "deviceId": "0"
      },
      {
        "apiVersion": 1,
        "isEnabled": true,
        "isReady": true,
        "gatewayId": "7637415053713208",
        "timestamp": "2021-12-24T10:02:06.639Z",
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.name",
        "feature": "heating.circuits.0.name",
        "components": [
        ],
        "deviceId": "0",
        "commands": {
          "setName": {
            "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.0.name/commands/setNam
e",
            "name": "setName",
            "isExecutable": true,
            "params": {
              "name": {
                "type": "string",
                "required": true,
                "constraints": {

```

"minLength": 1,

"maxLength": 20

```
    }
  }
},
"properties": {
  "name": {
    "value": "",
    "type": "string"
  }
}
},
{
  "apiVersion": 1,
  "isEnabled": false,
  "isReady": true,
  "gatewayId": "7637415053713208",
  "timestamp": "2021-11-30T07:28:13.418Z",
  "uri":
  "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
  7637415053713208/devices/0/features/heating.circuits.1.name",
  "feature": "heating.circuits.1.name",
  "components": [
  ],
  "deviceId": "0",
  "commands": {
  },
  "properties": {
  }
},
{
  "apiVersion": 1,
  "isEnabled": false,
  "isReady": true,
  "gatewayId": "7637415053713208",
  "timestamp": "2021-11-30T07:28:13.904Z",
  "uri":
  "https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
  7637415053713208/devices/0/features/heating.circuits.2.name",
  "feature": "heating.circuits.2.name",
  "components": [
  ],
  "deviceId": "0",
  "commands": {
  },
  "properties": {
  }
},
{
  "apiVersion": 1,
  "isEnabled": false,
  "isReady": true,
  "gatewayId": "7637415053713208",
```

```
        "timestamp": "2021-11-30T07:28:14.062Z",
        "uri":
"https://api.viessmann.com/iot/v1/equipment/installations/1185702/gateways/
7637415053713208/devices/0/features/heating.circuits.3.name",
        "feature": "heating.circuits.3.name",
        "components": [
        ],
        "deviceId": "0",
        "commands": {
        },
        "properties": {
        }
    }
]
}
```